

COMPANY

FREEZIE KOOZIES



Fabric Requirements

Version 1 (Makes 1 Koozie)

- 5" x 7.5" Piece of Cotton
- 5" x 8" Piece of Flannel
- 5" x 8" Piece of Iron Fusible Stabilizer

Version 2 (Makes 2 Koozies)

- 7.5" x 11.5" Piece of Cotton
- 8" x 11.5" Piece of Flannel
- 8" x 11.5" Iron Fusible Stabilizer

Version 3 (Makes 1 Koozie)

- (2) 5" x 6" Pieces of Fabric
- 5" x 6" Piece of Batting

Other Needed Supplies

- TrueCut Rectangle Quilting Ruler
- TrueCut Comfort or StraightCut Cutter
- Coordinating Finesse Thread
- Fabric Scissors
- Tube Turning Tool
- Pinking Shears (Version 2 Only)

All versions use a 1/4" seam allowance unless otherwise stated.

Version 1:

Following manufacturer's instructions, adhere the 5" x 8" piece of iron fusible stabilizer to wrong side of your flannel.

With right sides together, align 5" x 7.5" Piece of cotton to the 5" top edge of stabilized flannel. Sew across the top.

Fold fabric so wrong sides are together, and align the bottom edge and iron to create a faux binding. Top stitch to secure. (Image 1).

Image 1

At minimum, sew down long sides or quilt as desired.

Fold quilted koozie so that wrong sides are facing each other on the inside and right side is facing out (Image 2).

Sew down long open side 1/8" seam allowance. Turn wrong-side out.

On wrong side, sew to finish side seam. Sew across the bottom edge backstitching at start and end. (Image 3)

Clip corners of bottom being sure not to clip stitches.

Turn right side out and push out bottom corners (Image 4).

Iron and enjoy!

Image 2



Image 3



Image 4

Version 2:

Following manufacturer's instructions, adhere the iron fusible stabilizer to wrong side of your flannel.

With right sides together, align your piece of cotton to the 8" top edge of stabilized flannel. Sew across the top.

Fold fabric so wrong sides are together, and align the bottom 8" edge and iron to create a faux binding. Top stitch to secure (Image 1).



Quilt as desired.

Image 1

Trim sides with pinking shears.

Find the center (Image 1 yellow line) and mark with an erasable fabric pen/marker.

Cut on this line with pinking shears to create two koozies. Then turn inside out and sew along the bottom edge for both koozies backstitching at start and end.

Turn right side out. Sew on open side for both koozies (Image 2).



Image 2

Version 3:

Stack following pieces, Batting, Outer Fabric (Right Side Up), Inner Fabric (Right Side Down).

Sew across the 5" side. (Image 2)

Separate the inner piece from the batting and outer piece and press it flat.

Your piece should now look like image 3.

Fold your project in half right sides together lengthwise.

It should now look something like image 4.

Starting on the Folded batting edge, sew around 3 sides, leaving a 1" turning hole on the edge of the inside fabric. (Image 5)

Clip your corners and turn the koozie right side out. (Image 6)

There is no need to close the turning hole as it will be on the inside.

Press your project flat, then push the inside fabric into the outer piece using a turning tool or stilletto.

Press flat. (Image 7)









Image 7

G