

Scrap Ornaments





Materials Requirements

Assorted Red and Green

- 4 fat quarters

Cream

- 1 Fat Quarter

Red or Green Ribbon

Beads

General Notes

- WOF = Width of Fabric
- All seams are sewn with a $\frac{1}{4}$ inch unless specified
- Print paper piecing templates on letter size (8½" x 11") making sure to print on actual size or 100%

Cut Your Fabric

Cathedral Window Ornament

- One 6" Red Circle
- One 6" Green Circle
- 4" Strip of Ribbon

Paper piecing Ornament

- Eight 2" Green squares (A)
- Four 3" X 2" Red Strips (B)
- Eight 3" X 2" Cream Squares (C)
- One 3" Green Square (A)

Cathedral Window Piecing

- 1 Start by using the TrueCut Circle cutter and cutting out two 6" circles
- 2 Place right sides together
- 3 Sew around the circle leaving a 1 1/2" opening
- 4 Turn right sides out
- 5 Top Stitch around the edges
- 6 Fold circle in half and hand stitch at the center
- 7 Fold in the other direction and hand stitch closed in the same place
- 8 Fold the Corners out
- 9 Sew the ribbon on one corner
- 10 Add any beads or other embellishments

Paper Piecing Instructions

- 11 Start by printing out your templates at actual size. Make all of your copies from the same original and the same machine. Trim down all templates leaving 1/4" on all sides. Do NOT trim on the line

- 12 The lines on the template indicate where to sew and the numbers indicate which order in which to sew. The seam allowances that are shown are the ones that go around the template. The lines and numbers are printed on the front of the pattern. This is the side to sew on. The back of the pattern is blank. This is where the fabric will be placed

- 13 Place the green 3" square right side up on the blank side of the pattern covering section A1. Make sure your fabric the fabric extends beyond the lines at least 1/4"

- 14 Place a red 3" X 2" rectangle over the green square right sides together. Look through the paper at a light source. Make sure both pieces are covering the seam line.

- 15 Sew along the line. Fold the paper back. Trim the excess fabric down to 1/4". Then press red rectangle open

- 16 Place a red strip over A1 and B2 right sides together. Look through the paper at a light source. Make sure both pieces are covering the seam line.

- 17 Sew along seam line. Fold back paper and trim to 1/4"

- 18 Continue until you have covered all sections in ordered number

- 19 Trim pieces leaving the included 1/4" seam allowance

- 20 Repeat process for other sections

Paper piecing Templates

